

27 DOUBLE GIRDER HOIST NE, REEVING: 08

Hoist Dimensions

HOL m	HOL* m	Length code	M1 mm	M2 mm	H1 mm	H2 mm	Min R mm	Max R mm	Weight** kg
7	5.5	E	682	799	739	63	1700	3100	1780
9	7.5	F	832	949	889	81	2000	3100	1880
11.5	10	G	1022	1149	1089	105	2400	3800	2010
15	13.5	H	1272	1469	1409	137	3100	4200	2280
20	18.5	J	1622	1559	1499	180	3400	4200	2510
24	22.5	K	1922	1944	1884	217	4200	4200	2890

*HOL with drum brake

**Presence of a drum brake will increase weight by 80 kgs.

Motor Dimensions

Motor	P6	P7	P8	A7	S7	S8	SA
MOT (mm)	536	576	711	536	715	763	803
Weight (kg)	85	105	106	71	81	97	120

Trolley Dimensions

C	ØWD	ØBU	BU	BUH	E1	E2	E3	GEA	H3	H4	M3
1105	200	80	226	100	488	1860	80	218	712	698	44
RO	TD	TH	WB	W min	W max						
122	28	693	1410	54	99						

D006650_A
090652

Note: All dimensions in mm.


Note: Weight calculated with P6 motor.

Note: Standard rail gauges: 1700, 2000, 2400, 2700, 3100, 3400, 3800 and 4200.

Note: H1, M2 and weight calculated with min R.

Note: Flangeless wheels available.

Double Girder Hoist NE, REEVING: 08



D006650-A